



Łukasiewicz
Instytut Inżynierii
Materiałów
Polimerowych
i Barwników

PRODUCT CERTIFICATION BODY

The Łukasiewicz Research Network – Institute
for Engineering of Polymer Materials and Dyes

Center for Paints and Plastics
Certification of Products
and Standardization

44-100 Gliwice, ul. Chorzowska 50A



AC 004

CERTIFICATE OF CONFORMITY No. 20/PN/2023

Issued according to product certification scheme type 5 according to PN-EN ISO/IEC 17067:2014-01 "Product certification program for the certificate of conformity (CZ)", issue 13 of 01 June 2021

Name and address of the owner of certificate: **PLASTAN KACPRZYK Sp. z o.o. Sp. k. Stanisławów 3 05-304 Stanisławów**

Name of product: **Packaging consisting of the:**

- 1000 ml FLORA G28 bottle [H-37]
- 1000 ml EKO PET bottle [H-29]
- 250 ml GOLD G28 bottle [H-24]
- 250 ml KONCENTRAT PET bottle [H-44]
- 1000 ml BART PET bottle [H-41]
- 1000 ml BART PET Z TRÓJKĄTEM bottle [H-41.2]
- 500 ml BART PET bottle [H-42]
- 250 ml FILIP PET bottle [H-54]
- 250 ml ALA PET bottle [H-61]
- 500 ml WYBIELACZ PET bottle [H-59]
- 1000 ml WYBIELACZ PET bottle [H-58]
- 500 ml ROZPUSZCZALNIK bottle [H-65]
- 500 ml PET bottle (weight 23 g) [.BP_5NTT]
- 500 ml PET bottle (weight 34 g) [.BP_5NTT/2]
- 750 ml PET bottle [.BP_75NTT]
- 1000 ml BULI Z PASKIEM WIZYJNYM bottle [H-69]
- 500 ml BULI PET bottle [H-68]
- 1000 ml butelki BART PET Z PASKIEM WIZYJNYM [H-62]
- 1000 ml BART PET Z PASKIEM WIZYJNYM I TRÓJKĄTEM bottle [H-62.2]

and:

- ø28 BEZPIECZNA PET safe screw cap [H-12]
- ø28 BEZPIECZNA PET Z PŁATKIEM safe screw cap [HP-46]
- ø28 BEZPIECZNA PET Z WKŁADKĄ IHS safe screw cap [HW-46]

ICS code: **55.020**

The product meets the requirements: **PN-EN ISO 8317:2016-03 Child-resistant packaging - Requirements and testing procedures for reclosable packages**

The test report: **No. GT/111/2023**
Accredited Laboratory No. AB 163

The certificate is valid from 25.08.2023 to 24.08.2026

The certificate remains in force provided that the body observes the requirements specified in the agreement No. 14/2017 with Annexes No. 1., No. 2., No. 3. and No. 4., and concerns only the products having identical characteristics as the test sample(-s) and complying with the requirements defined above.

**Manager of Certification
of Products and Standardization**

dr Marcin Pasich

**Director
of Center for Paints and Plastics**

dr inż. Mariola Bodzek-Kochel