



Łukasiewicz
Instytut Inżynierii
Materiałów
Polimerowych
i Barwników

PRODUCT CERTIFICATION BODY

The Łukasiewicz Research Network – Institute
for Engineering of Polymer Materials and Dyes

Center for Paints and Plastics
Certification of Products
and Standardization

44-100 Gliwice, ul. Chorzowska 50A



AC 004

CERTIFICATE OF CONFORMITY No. 25/PN/2022

Issued according to product certification scheme type 5 according
to PN-EN ISO/IEC 17067:2014-01 "Product certification program for the certificate
of conformity (CZ)", issue 13 of 1 June 2021

Name and address
of the owner
of certificate: **PLASTAN KACPRZYK Sp. z o.o. Sp. k.**
Stanisławów 3
05-304 Stanisławów

Name of product: **Packaging consisting of:**
- 500 ml IZO bottle [A-07],
- 750 ml IZO bottle [A-06],
- 1000 ml IZO bottle [A-16],
- 750 ml DOMUS POLO bottle [A-04],
- 750 ml DOMUS bottle [A-14],
- 1000 ml DOMUS bottle [A-15],
- 500 ml UNIA bottle [A-02],
- 750 ml UNIA bottle [A-21],
- 500 ml UNIA Z TRÓJKĄTEM bottle [A-30],
- 500 ml MIREK WC bottle [A-01],
- 500 ml FALA bottle [A-27],
and TYTAN Z DOZOWNIKIEM safe screw cap [BZ-00]

ICS code: **55.020**


The product meets
the requirements: **PN-EN ISO 8317:2016-03 Child-resistant packaging -**
Requirements and testing procedures for reclosable
packages

The test report: **No. GT/340/2022**
Accredited Laboratory No. AB 163

The certificate is valid from 16.12.2022 to 15.12.2025

The certificate remains in force provided that the body observes the requirements specified
in the agreement No. 56/12/2022/GC and concerns only the products having identical
characteristics as the test sample(-s) and complying with the requirements defined above.

**Manager of Certification
of Products and Standardization**


Marcin Pasich

**Director
of Center for Paints and Plastics**


Mariola Bodzek-Kochel

Gliwice, 16.12.2022